

Table of Contents

SEE THE POSSIBILITIES

- 2 The No Leak Skylight
- 4 Skylight Innovations
- 5 VELUX ACTIVE with NETATMO
- Go Solar Tax Credit
- 7 Light Control
- Design by Rooms
- Real Skylight Stories

SKYLIGHT INSTALLATION

- Ceiling Types
- Installation Methods
- Flashing Systems
- No Leak Warranty

OUR PRODUCTS

- Skylights
- Skylight Blinds
- Custom Skylights
- Sun Tunnel* Skylights
- Flat Roof Skylights
- Roof Windows
- Architectural Series

TECHNICAL INFORMATION

- Product Size Charts
- Energy Star/Code of Compliance





The No Leak Skylight™


• No Leak Promise • No Worries

2





These are not your parents' skylights.

Skylights that open. Skylights that won't leak. Skylights that lower your carbon footprint. Skylights that respond to the sound of your voice. Flat skylights, domed skylights, and skylights that turn into balconies. These are the kinds of skylights you'll find at VELUX. A passion for daylight, fresh air, and better living environments is what started our company over 75 years ago, and it's what drives us forward today.

























Emily Henderson
Lake Arrowhead, California
Read more: stylebyemilyhenderson.com
Follow: @em henderson

Natural Light from Above Makes This a Bedroom You'll Want To Wake Up In


Natural light from above was a key ingredient in the calm, Scandinavian master bedroom that interior design and style expert Emily Henderson created in her Lake Arrowhead mountain house. Sunlight from four VELUX No Leak Solar Powered "Fresh Air" skylights, not only bathes the room in light, but brings out the color variations and grain details in the ceiling that is clad in reclaimed wood.


She can open the skylights to bring in cool, mountain air and the smell of pine trees, and fall to sleep gazing at the stars. When she wants to sleep in, she can block the light with remote-controlled room darkening blinds.













Tessa Tillett Indianapolis, Indiana


It's All About the Light For This Galley Kitchen

Tessa Tillett bought her first home knowing she wanted a space that brought in plenty of natural light. Being a recent graduate and a freelance photographer, having natural light in her home mattered. So, with a sledgehammer in hand, Tessa completely renonvated her kitchen. She added new cabinets painted deep navy blue, hung a mustard yellow sliding door into the adjoining laundry room, installed butcher block countertops, an oversized subway tile backsplash, and added in two VELUX skylights to help brighten the space and complement the new modern design.





Before:
The rest of the house has
10-foot ceilings, but the
kitchen had only 8-foot
ceilings with only two tiny
windows. Tessa describes it
as a dark space and an area
she knew she wanted to
spend her time renovating.





Brian Patrick Flynn
Atlanta, Georgia

Follow: @bpatrickflynn

Flynncentury Modern Makeover Entire House


When Brian Patrick Flynn first moved into his mid-century modern ranch home, he fell in love with the mature landscaping and tree canopies outside. On the inside, however, he faced separate, privatized spaces and super dark areas. Always the designer, Brian decided to look up and focus on the home's fifth wall as much as possible. The ceiling would give him the possibility to bring in muchneeded natural light, as well as high-energy hues and colors. With VELUX Skylights and Sun Tunnels*, Brian was able to lighten and brighten this diamond in the rough.

















Gorczynski Family Lawrence Township, New Jersey

Natural Light Transforms A New Jersey's Family Living Room


After moving into their home in Southern New Jersey almost two years ago, Katie and Bryan Gorczynski faced a conundrum when it came to their dark living room. Even after swapping out a solid door for a sunshine yellow one with windows, painting the living room white, and switching the furniture around, this northwest-facing living room still felt dark. In April of 2019, a VELUX 5-Star Skylight Specialist installed two skylights in the room and now the space is bathed in natural light, even on an overcast day.





Before:

This dark living room had a large picture window with a large Japanese maple tree out front that blocked most of the light coming into the room. The family adjusted the furniture layout to try to make the space feel more open. "We put the couch against the wall, even though we wanted it opposite the TV," said Katie. "When we put it across from the TV the room felt very closed off."





Shavonda Gardner
Sacramento, California
Read more: sgstyleblog.com
Follow: @sgardnerstyle

Light and Air is a Game Changer for this Small Bathroom

Interior designer Shavonda Gardner and her family ditched their cookie-cutter, builder-grade large home for a little cottage bungalow in Sacramento, California. They were on a journey to downsize living, so when it came time to remodel the home's only bathroom, Shavonda knew she would have to make bold design choices. She opted to add a VELUX Solar Powered "Fresh Air" Skylight to the bathroom to bring in ample amounts of natural light and fresh air, while allowing her to still push the envelope of design.







Before:

The home featured just one bathroom, which was an interior room with no chance of having windows added. Shavonda describes the bathroom as being dark and muggy with even a claustrophobic feeling due to the lack of outside light.



Kristen Burns and Raeann Bourscheid Salt Lake City, Utah

Bringing Nature Inside This Master Bedroom

Before the room makeover, Kristen and Raeann's dark bedroom had only one small window and seemed like the couple just hadn't had time to get to decorating it. But in December 2018 when Kristen was diagnosed with a rare form of cancer called cholangiocarcinoma, Raeann knew Kristen needed a space that could bring her peace and happiness The couple won a complete room makeover when they entered the VELUX Brighten Up Any Space Design Giveaway with interior design and style expert, Emily Henderson. The finished project: a haven that brings the best of nature in.





Before:
A dark space with a small window on one side of the room.



A Skylight for Every Ceiling

Flat, Vaulted, Sun Tunnel®

Have you considered installing a skylight then looked up at your flat ceiling and thought that there's just no way? You're not alone! One of the most common misconceptions about skylights is that they can only be installed in homes with vaulted ceilings. But we're here to tell you that's not the case.





Flat Ceiling



If you have flat ceilings, once your skylight is set outside, your installer will construct a drywall light shaft inside. This shaft directs daylight to the room below while hiding the attic space between your ceiling and roof.

Vaulted Ceiling



The advantage to vaulted ceilings during skylight installation is that without attic space between the roof and your home's interior, there's no need for a light shaft. So, once your skylight is installed, the work's all done.

Sun Tunnel®




The Sun Tunnel* Skylight's highly reflective and cylinder shape fits between ceiling supports, allowing light to travel from your roof down to the space below uninhibited.

3 Types of Installation

Deck-Mounted, Curb-Mounted, Self-Flashed

When it comes to skylights, there are three different types of installation methods. To know which installation is right for a home, a skylight installer or roofer will evaluate the home's roof pitch, roof material, ceiling type, and whether this is a replacement job or a new cut-in. But whatever the method, you're installing the same great skylight that brings in plenty of natural light and fresh air!

Deck-Mounted Skylights





Curb-Mounted Skylights

Curb-mounted skylights are the most common installation preference in low-pitch or flat-roof situations. The "curb" is a frame built mostly of two-by-fours that are attached to the roof. The skylight is then installed on top of the curb. You can imagine it as a shoebox: the curb is the box and the skylight is the top.

Self-Flashed Skylights

Self-flashed skylights differ from both deck- and curb-mounted skylights because their curb and flashing are built into the skylight. No extra flashing kit is needed. The skylight sits directly over the rough opening in the roof deck and is then sealed.



Flashing Systems

Deck-Mounted, Curb-Mounted

VELUX Skylight Flashing Kits are a crucial part of our complete system designed to shed water without relying on sealants that can break down over time. No matter the scope of your project, we offer a variety of skylight flashing systems to ensure a weather-tight fit for virtually all roof types and slopes so you can easily install the skylight of your dreams.

Deck-Mounted Flashing Systems

Each of our deck-mounted flashing systems includes a pre-attached deck seal, adhesive underlayment, and engineered flashing. They attach directly to your roof deck and interweave with the roofing material to ensure your skylight won't leak.








Shingles/Shakes - EDL

Tile Roofing - EDW

Copper Cladding & Flashing







Metal Roofing - EDM

Biepack Flashing – ECB

Curb-Mounted Flashing Systems

VELUX curb-mounted flashing systems come with a pre-attached skylight gasket, which provides a tight seal between the site-built curb and skylight. When combined with an included adhesive underlayment and engineered flashing, they create a seal to ensure no water leaks around your skylight.






Shingles/Shakes - ECL

Tile Roofing - ECW

No Leak Warranty

3 Layers of Protection



The No Leak Promise is our guarantee to you that the VELUX skylights installed in your home will not leak. We're able to make and keep this promise with a 10-year installation warranty thanks to our patented three layers of water protection on our deck- and curb-mounted skylights.

- Pre-Attached Seal
 - Pre-attached deck seal (deck-mounted) or gasket (curb-mounted) provides a tight seal for leak-proof installation.
- Adhesive Underlayment

 Adhesive underlayment for secondary water protection against the harshest weather conditions.
- Engineered Flashing
 Engineered flashing for easy installation and primary water protection.²

Rest easily beneath your skylight knowing that, while it lets in abundant sunlight and fresh air, it will never let in rain.

The No Leak Skylight™

• No Leak Promise • No Worries

38

Solar-Powered Venting
Electric Venting
Manual Venting
Fixed

For a sleek, classic look that blends seamlessly into any roofline, VELUX Skylights open your home to a world of brighter days. Available in fixed and venting options and designed not to leak, these skylights are perfect for creating a spacious home filled with natural light and fresh air.





Available in deck-mounted (VSS), curb-mounted (VCS), and self-flashed (EVMS).

Solar Powered "Fresh Air" Skylights

- Solar-powered to effortlessly open and close your skylight without electricity, circulating fresh air throughout your home.
- Acoustic rain sensor closes skylight at the first sign of rain
- Make our signature skylight even better by pairing it with VELUX ACTIVE, giving you the freedom to open and close your skylights from your phone or automatically adjust to match your ideal indoor climate
- Flashing kit required for No Leak Warranty²
- Many standard sizes available See page 82-83





0° - 60° 0:12 - 20:12 VCS Roof Pitch





Federal **SOLAR TAX CREDIT**


With Go Solar¹



Available in deck-mounted (VSE) and curb-mounted (VCE).

Electric "Fresh Air" Skylights

- Quietly opens and closes to circulate fresh air throughout your home, giving you the feel of a cool breeze at the touch of a button
- Acoustic rain sensor closes skylight at the first sign of rain
- Seamlessly pairs with any VELUX blinds for optimal light control select blinds can be pre-installed for free
- Pairs with VELUX ACTIVE: open and close your skylights from your phone or have it automatically adjust them to match your ideal indoor climate
- Flashing kit required for No Leak Warranty²
- Many standard sizes available See page 82-83





VSE Roof Pitch

0° - 60° 0:12 - 20:12

VCE Roof Pitch





Available in deck-mounted (VS), curb-mounted (VCM, and self-flashed (EV).

Manual "Fresh Air" Skylights

- Effortlessly open and close skylight with a smooth operator hook
- Equipped with insect screen to prevent pests
- Seamlessly pairs with any VELUX blinds for optimal light control select blinds can be pre-installed for free
- Flashing kit required for No Leak Warranty²
- Many standard sizes available See page 82-83





0° - 60° 0:12 - 20:12 VCM Roof Pitch





SOLAR **TAX CREDIT**

With Go Solar¹



Available in deck-mounted (FS), curb-mounted (FCM), and self-flashed (QPF, EF).

Fixed Skylights

- Clean exterior profile provides natural light without obstructing roofline
- Versatile sizing allows for greater flexibility in positioning options
- Seamlessly pairs with any VELUX blinds for optimal light control select blinds can be pre-installed for free
- Flashing kit required for No Leak Warranty²
- Many standard sizes available. See page 82-83.





FS and EF Roof Pitch

14° - 85° 3:12 - 137:12

0° - 60° 0:12 - 20:12 FCM Roof Pitch



Federal SOLAR **TAX CREDIT**

With Go Solar¹

Forget the hassle! Have your blinds pre-installed for FREE when included with your skylight purchase. Offer not available for special order blinds.

Light-Filtering, Single-Pleated Blinds - Solar-Powered or Manual





Room-Darkening, Double-Pleated Blinds - Solar-Powered or Manual



Venetian Blinds - Manual







50 Skylights | Blinds 51



Skylights Fixed Venting Your skylights, your way. When standard size skylights won't fit your project, we offer custom-sized skylights. Available in fixed and venting options and in measurements up to 32 square feet, VELUX Custom-Sized Skylights are available in the size and shape you need to create the perfect look for your home.


Custom-Sized Skylights



Solar Powered Self-Flashed Skylight - EVMS

Custom Venting Skylights

- Solar and manual operation models to fit every household
- Integrated Ultraseal Flashing for a leak-proof performance
- Acoustic rain sensor closes skylight at the first sign of rain





Federal SOLAR TAX CREDIT


With Go Solar¹

Custom-Sized Skylights



Fixed Skylights

- Clean exterior profile provides natural light without obstructing roofline
- Versatile sizing allows for greater flexibility in positioning options
- GSM Skylight covers areas up to 32 square feet in any dimensions







0° - 60° 0:12 - 20:12 FCM Roof Pitch

EF Roof Pitch




Sun Tunnel® Skylights

- Low-Profile Appearance: Features an extremely low-profile flat glass (the only one of its kind) that allows it to blend seamlessly into your roofline.
- Highly Reflective Tunnel: Delivers maximum sunshine from the roof to your ceiling due to the reflective material of the tunnel.
- Versatile Design: Fits between rafters and around other obstructions in your attic, allowing the sun tunnel to be one of VELUX's most versatile skylights.
- Additional Lighting: Whether you're looking for a moon-like nighttime glow or want to flip a switch for light at any time, add any of our lighting control options to your sun tunnel. For additional light, day and night, opt for the Solar Night Light, Daylight Controller, or Electric Light kit

diffusing the natural light pouring in.





Sun Tunnel® Skylights | Innovations 61 60 Sun Tunnel® Skylights | Innovations

Sun Tunnel® Skylights




Model TLR Low-Profile Flat Glass

Model TMR Pitched Metal Flashing

Sun Tunnel® Skylights

- Versatile, highly reflective tunnel carries light from the roof to the space below uninhibited
- Compatible with multiple diffuser options to finish the look of a room
- One of our fastest, least expensive ways to transform a room with daylight
- Go Solar with the Solar Night Light for rigid tunnels to receive a federal tax credit on product and installation¹
- For all Sun Tunnel Skylight options see page 84









SOLAR TAX CREDIT

With Go Solar¹

Flat Roof Skylights

CurveTech Cover
Polycarbonate Cover
Polycarbonate Roof Access
Fixed Curb-Mount
Sun Tunnel® Skylight

Designed for homes with flat or lowpitch roofs, VELUX's line of Flat Roof Skylights transform and improve any space with daylight. The innovative design of these skylights lets in more daylight, easily drains rainwater, and stands out as a modern addition to roof surfaces.

Flat Roof Skylights



Fixed - CFP CurveTech Protective Cover




Fixed - CFP Polycarbonate Protective Cover



Roof Access - CXP Polycarbonate Cover

Flat Roof and Roof Access Skylights

- Designed for homes with flat or low-pitch roofs
- Features maintenance-free PVC curb with insulation and toughened glass to be virtually impervious to damage
- Innovative curve shape lets rainwater drain off easily
- Protective cover reduces the likelihood of condensation and minimizes outdoor sounds
- CXP manually opens up to 60° to allow easy roof access



0° - 15° 0:12 - 3:12 CFP and CXP Roof Pitch

Flat Roof Skylights




Model TCR Curb-Mounted Metal Flashing

Fixed Curb-Mount and Sun Tunnel®

- FCM features a low-profile flat glass to blend seamlessly into your roofline
- Visually expands room with natural light
- Go Solar with accompanying accessory pieces (Solar Night Light for Sun Tunnel® or Solar-Powered Blinds for Fixed Curb-Mounted Skylights) to receive a federal tax credit on product and installation¹

Factory-installed accessory pieces may need to be added.











TAX CREDIT With Go Solar¹

Roof Windows

Top-Hinged Center-Pivot Roof Access CABRIO™

The sky is the limit with VELUX
Roof Windows! These in-reach
windows manually open to let fresh
air flow in and maximize the amount
of natural daylight in your home. The
perfect choice for loft conversions
and attic spaces, roof windows
allow you to enjoy panoramic views
while increasing your home's energy
efficiency and natural ventilation.





Roof Windows



Top-Hinged Roof Window - GPU



Roof Access Window - GXU

Roof Windows

- Greatly increases the amount of natural light and fresh air in your rooms
- Sleek outer appearance blends in with your roofline
- Top-Hinged features a convenient bottom operation for in-reach applications
- Roof Access Window offers easy roof access for repairs, maintenance, emergency, and egress
- Roof Access Window features a locking device to keep window open so it won't fall shut

All cladding components are included in the VELUX flashing box. If VELUX flashing is not purchased, cladding must be ordered.





15° - 85° 3:12 - 17:12



Roof Windows



Center-Pivot Roof Window - GGU



Balcony Roof Window -GDL CABRIO™

Roof Windows

- Center Pivot top control bar can be pulled once for background ventilation, twice to open and rotates 180°
- Low installation of Center Pivot allows for more flexibility and better views
- CABRIO[™] transforms from roof window to balcony in seconds to enjoy any time
- Top half of CABRIO™ opens to become a roof window, open both halves for balcony
- CABRIO[™] balcony fits flush with the roof when closed

All cladding components are included in the VELUX flashing box. If VELUX flashing is not purchased, cladding must be ordered.





35° - 53° 8.4:12 - 15:12






Architectural Skylights



Structural Bridge

Single Pitch





Double Pitch

Extended Pyramid






ctagonal Pyramid

Square Pyramid



Pyramid Systems and Pitched Roof Applications

- Create spectacular daylighting applications with unlimited design capabilities
- Lightweight, metal-framed skylights capable of spanning up to 40 feet wide
- Insulated glass panels help control heat gain and loss in all types of weather
- Available in a wide variety of high-performance glass and finish options



Architectural Skylights | Pyramid Systems and Pitched Roof 79


Architectural Skylights





Modular Skylights

- Complete system made of multiple skylights with a self-supporting structural system that does not require rafters or beams for support
- Prefabricated components ensure a quality build, 100% water tightness, and fast, easy installation
- Available in a variety of configurations with both venting and fixed modular skylights
- Includes electronic control system with wind and rain sensor



80 Architectural Skylights | Modular Skylights | Modular Skylights 81

Skylight Sizes

Deck-Mounted Skylight Sizes

	14° - 85°														
	3:12 - 137:12	A06	CO1	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06
Rough Opening	(W-in. x H-in.)	14 ½ x 45 ¾	21 x 26 ⁷ / ₈	21 x 37 ⁷ / ₈	21 x 45 ³ / ₄	21 x 54 ⁷ / ₁₆	21 x 70 ½	22 ½ X 2215/16	22 ½ x 45 ¾	30½/16 x 30	30 ½16 x 37 ⁷ /8	30 ½16 x 45³/4	30 ½/16 x 54 ⁷ /16	44 ½ x 26 ½	44 ½ x 45 ¾
VSS/VSE Solar/Electric			•	•	•	•					•	•	•	•	•
VS Manual			•	•	•	•				•	•	•	•	•	•
FS Fixed		•	•	•	•	•	•	•	•	•	•	•	•	•	•


Model FS sizes D26 and D06 fit perfectly between roof trusses.

Curb-Mounted Skylight Sizes

		Jg	000												
	X7														
	0° - 60° 0:12 - 20:12	1430	1446	2222	2230	2234	2246	2270	3030	3046	3055	3434	3446	4622	4646
Outside Curb	(W-in. x H-in.)	17 ½ x 33 ½	17½ x 49½	25 ½ x 25 ½	25 ½ x 33 ½	25 ½ x 37 ½	25 ½ x 49 ½	25 ½ x 73 ½	33 ½ x 33 ½	33 ½ x 49 ½	33 ½ x 58 ½	37 ½ x 37 ½	37 ½ x 49 ½	49 ½ x 25 ½	49 ½ X 49 ½
Max. Skylight Clearance	(W-in. x H-in.	18 ⁵ / ₈ x 34 ⁵ / ₈	18 5/8 x 50 5/8	26 ⁵ /8x 26 ⁵ /8	26 ⁵ / ₈ x 34 ⁵ / ₈	26 ⁵ / ₈ x 38 ⁵ / ₈	26 5/8 x 50 5/8	26 ⁵ / ₈ x 74 ⁵ / ₈	34 ⁵ / ₈ x 34 ⁵ / ₈	34 5/8 x 50 5/8	34 ⁵ / ₈ x 59 ⁵ / ₈	38 ⁵ / ₈ x 38 ⁵ / ₈	38 ⁵ / ₈ x 50 ⁵ / ₈	50 ⁵ / ₈ x 26 ⁵ / ₈	50 ⁵ / ₈ x 50 ⁵ / ₈
VCS / VCE Solar / Electric				•		•	•		•	•		•			•
VCM Manual				•		•	•		•	•		•		•	•
FCM Fixed		•	•	•	•	•	•	•	•	•	•	•	•	•	•


FCM custom sizes available

FCM Custom Sizes



8-14 days									
72 ½ to 76 ½ 18 ¾ to 50 ¾ 20 days or less									
We require maximum skylight clearance dimensions in $^{1}/_{4}''$ increments $(0, ^{1}/_{4}, ^{1}/_{2}, ^{3}/_{4})$ for width and height. Custom size flashing kits and blinds are not available									
-									

Skylight Sizes




EVMS, EV, EF custom sizes available

Flat Roof Skylight Sizes

	0° - 15° 0:12 - 3:12	6060	6090	8080	90120	100100	120120	150150
Rough Opening	(W-in. x H-in.)	23 5/8 x 23 5/8	23 5/8 x 35 7/16	31½ x 31½	35 1/16 x 47 1/4	393/x393/s	47 ¼ x 47 ¼	59 x 59
CFP Fixed		•	•	•	•		•	•
CXP Exit					•	•	•	

Roof Window Sizes



83


Satisfy egress requirements

Model PK19 Cabrio Rough Opening (W-in. x H-in.) 39 ³/₈ x 101

Skylight Sizes

Sun Tunnel® Skylight Sizes

	Model TLR Model TCR									
			Mode	ITMR	Mode	el TGR	Model TMF	Model TGF 14° - 60° 3:12 - 20:12		
	14° - 60° 3:12 - 20:12	0° - 60° 0:12 - 20:12	14° - 60° 3:12 - 20:12		14° - 3:12 -	60° 20:12	14° - 60° 3:12 - 20:12			
	014	014	010	014	010	014	014	014	022	
Rough Opening (ceiling)	14 3/4	14 3/4	10 3/4	143/4	10 3/4	14 3/4	14 3/4	14 3/4	223/4	
Rough Opening (roof deck)	14 ½ x 17 ¾	16 ³ / ₄ × 16 ³ / ₄	12½x16	14 ¹ / ₂ x 20	14½ x 16	14½ x18	14 ½ x 20	14 ½ x 18	22 ¹ / ₂ x 26	
Tunnel Length with Kit (ft.)	4	4	4	4	4	4	8	8	8	
Maximum Recommended Install Length (ft.)	30	30	20	30	20	30	8	8	12	



ENERGY STAR®

One of the most straightforward ways to help meet energy codes as a builder or architect, while still designing bright, airy buildings, is to specify ENERGY STAR® certified products.

Most VELUX residential products are ENERGY STAR® certified in all 50 states, which means they meet energy efficiency standards set by the US Environmental Protection Agency (EPA). In order to be ENERGY STAR® certified, fenestration products must have their U-factor, Visible Transmittance, and Solar Heat Gain Coefficient ratings independently tested and approved under the FenStar® Certification Program of the National Fenestration Rating Council (NFRC) to qualify.

By using ENERGY STAR® certified products, architects and builders can use skylights to bring much needed daylight and fresh air inside, allowing them to create more attractive buildings and more livable spaces while still meeting local energy codes.

In warmer climates, there is great potential for lighting energy savings by using emerging control technologies like VELUX ACTIVE or more effective daylighting products like VELUX skylights with blinds and Sun Tunnel® Skylights.



Visit energystar.gov for more information.

- ¹ For the most up-to-date Federal Solar Tax Credit information, visit veluxusa.com/go-solar.
- 2 To qualify for the VELUX 10-year installation warranty, VELUX flashing must be purchased. The 10-year installation warranty excludes EVMS, EV, OPF, EF
- ³ VELUX blinds are not available for any VELUX custom-sized skylights. VELUX blinds when purchased with a standard size accessory tray are available for select e-class skylights.

Code Compliance

VELUX offers a broad array of skylights, roof windows, and sun tunnels that meet the applicable performance requirements and testing and labeling standards written into the most current US Model Codes:

- 2018 IBC (International Building Code)
- 2018 IRC (International Residential Code), and
- 2018 IECC (International Energy Conservation Code),
- As well as local and regional codes based on the above codes.

Additionally, electrical components built into VELUX products are UL listed

Standard VELUX residential skylights and sun tunnel products also meet or exceed applicable Powersmart requirements, in addition to those of the current and prior North American Fenestration Standards (NAFS), also known as AAMA/WDMA/CSA 101/I.S.2/A440. Copper-clad versions may not exceed these requirements but do meet other standards required of them

To verify these attainments on-site, the products are shipped with all required labels to expedite the inspection and final acceptance process. VELUX confidently certifies through these labels that only products consistent with the tested specimens are sent to the job.

Warranty

For over 75 years, VELUX has been dedicated to producing skylights that are synonymous with quality and reliability. Our commitment to you does not end once your skylight is installed.

The VELUX deck- and curb-mounted product family is designated as "The No Leak Skylight." It carries a 10-year installation warranty, plus 20 years on glass seal failure, 10 years on product, and 5 years on blinds and controls.

This limited warranty does not apply to VELUX products purchased prior to January 1, 2010.

NOTICE: ALL GLASS MAY BE SUBJECT TO UNEXPECTED AND SPONTANEOUS BREAKAGE in rare circumstances due to imperfections in the glass that are undetectable during the manufacturing and inspection process by the manufacturer of the glass and VELUX.

VELUX offers the choice of laminated or tempered glass skylights. Impact glass and comfortplus glass are all types of laminated glass. Comfort glass is a type of tempered glass. Laminated glass is a combination of two or more glass sheets with one or more interlayers of plastic (PVB) or resin. In case of breakage, the interlayer is designed to hold the fragments together. Tempered glass is designed to break into small, pebble-like pieces. When tempered glass breaks, pieces of glass come loose and may strike an individual.

CONSULT LOCAL REGULATIONS AND/OR BUILDING MATERIAL CONSULTANTS TO DETERMINE WHICH TYPE OF GLASS IS RIGHT FOR YOU OR IF LAMINATED GLASS IS REQUIRED IN YOUR APPLICATION.

All VELUX skylights, roof windows, Sun Tunnel® Skylights, flashing kits and blinds must be purchased through a qualified VELUX dealer. Please see the "Where To Buy" section of veluxusa.com website for a list of VELUX dealers near you.

The VELUX Group creates better living environments with daylight and fresh air through the roof. The VELUX product program contains a wide range of roof windows and skylights, along with solutions for flat roofs. The Group also supplies many types of decoration and sun screening, roller shutters, installation products, and products for remote control for installation in roofs. The VELUX Group, which has manufacturing companies in 11 countries and sales companies in nearly 40 countries, represents one of the strongest brands in the global building materials sector and its products are sold in most parts of the world. The VELUX Group has about 10,000 employees and is owned by VKR Holding A/S, a limited company wholly owned by foundations and family. For more details, visit velux.com.

84

VELUX America LLC 450 Old Brickyard Road PO Box 5001 Greenwood, SC 29648-5001 Tel 1-800-888-3589 Fax 1-864-943-2631 veluxusa.com whyskylights.com

Bringing light to life.

